





SAMPLE CLEANER 13500 Laboratory sorting machine



Technical Specifications :

- Product capacity : 250-500 g
- Through the convertible cylinder sieve inside the device; sample is sifted and classified. Then sample is collected to the balanced drawers.
- Through the LCD touchable screen, process is able to control, sieve turning speed, feeding gate opening, blowing power, process time and language selection.
- Broken particles, foreign matters such as like powder, feather, good cereals and big foreign matters can be separated easily and classified at wheat, barley, maize, rye, oat etc.
- Before taking raw materials, this device informs about the quality of the products by analysing quality control and impurity.



Other Specifications:

Volt/ Hertz	230v - 50/60hz
Amper	10 A
Device Dimensions W "mm" x L "mm" x H "mm"/Weight. kg	925 x 1127 x 540mm / 85Kg
Package Dimensions W "mm" x L "mm" x H "mm"/Weight. kg	60 x 140 x 114/ 148Kg

When you work with BASTAK you receive;

- ✓ Free technical consultancy for tailor made solutions,
- ✓ High quality instruments with free webinars and on-line trainings,
- ✓ Fast delivery of instruments, spare parts and consumables,
- ✓ Remote technical support (Audio and Video) six (6) days a week,
- ✓ Economical spare parts and consumables available in 10 years,
- ✓ Free factory visits, live tests and demos,
- ✓ On-Site Warranty and On-Site After Sales Service (for >20.000 USD orders)



“More Than 23 Years of Experience ...”

Bastak Laboratory

57 Types of Device, 35 Types of Additive



Youtube > Bastak Expert

<https://www.youtube.com/watch?v=ktEz2PHdDQg&t=10s>

Bastak Factory - 7000 m2

20.000 instruments in 142 countries



Youtube > Bastak Factory

<https://www.youtube.com/watch?v=UbtWWhEbLy4>



You can find all Catalogues and Competitor Comparison Tables in this link:

https://drive.google.com/drive/folders/1_4aXqIjmISG0Gi7c0KeMuPAGWqvi65mT



Sensitive
Nutrition



High
Efficiency



Monoblock
Study Body



Standard
Grinding



Personal
Security

**The information in this document is subject to change without any prior notice or obligation on the part of the manufacturer and should not be construed as a commitment by the manufacturer. The manufacturer assumes no responsibility for any errors that may appear in this document.*